


DESCRIPTION :

GAINFORD STATIC DOUBLE BED

1Hr

APPROXIMATE ASSEMBLY TIME




2 PERSON ASSEMBLY

FLOOR AREA
2M X 3M




CEILING HEIGHT
2.4M

REQUIRED ASSEMBLY SPACE



REQUIRED ASSEMBLY TOOL




PARTS LIST


CARTON 1 : Parts 1,4
CARTON 2 : Parts 2,3,5,6,7

NO. PART QTY

1	HEADBOARD	1
2	FOOTBOARD	1
3	SIDE RAIL	2
4	SLAT (13PCS)	1
5	CENTRE RAIL	1
6	SUPPORT LEG	2
7	FOOTBOARD LEG	2



HARDWARE LIST



8x
M8x20
A
Bolt

5x
M6x40
B
Bolt

2x
M6x50
C
Bolt

26x
M4x32
D
Screw

1x
M4
E
Allen
key
100

1x
M5
F
Allen
key
70

2x
35mm
G
Adjuster

Top Tips before you start!

1. Please check that all parts are present before you start the assembly of your furniture, as once assembled, the furniture is exempt from our home approval policy.
2. For ease and speed of assembly, we recommend that before you commence each step of the assembly, you identify all the parts required for that step.
3. For larger items, please ensure that you have sufficient space and people (as indicated on page 1) to assemble your product safely.
4. We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
5. For the protection of your furniture, particularly items of high gloss finish, we recommend that the product placed on a protected surface during assembly to prevent any damage.
6. During assembly please take care not to over-tighten any fittings, as this may damage the product.

Care and Maintenance of your Furniture

- Please periodically check all fittings and re-tighten as necessary.
- To clean your item, please use a damp cloth and wipe clean.
- Please do not jump on your furniture.
Never allow any kind of liquid to remain on your furniture, Absorption can cause finishes to de-laminate.
- Periodically check the condition of your bed slats to ensure they are in good condition.
- This is very important when moving your bed. It is best to lift the bed, and never to drag it.
- Please kindly take account of your floor covering when assembling a new bed! If the floor offers little resistance (such as wood or laminate) then it is recommended that rug or similar be placed under each leg.

CARE INSTRUCTIONS FOR VELVET FABRIC


- If liquid has spilled onto the velvet, soak it up with a paper towel or cloth. Make sure there is no food or debris left on the material. Combine a small amount of dish soap and water in bucket, mixing it until it becomes soapy. Soak the cloth in the soapy water and apply it gently to the stain. Use the soapy cloth to blot the stain until it disappears. It is important for the velvet fabric to dry quickly. Use a hair dryer on a luke warm setting to accelerate the drying process.
- Carefully apply the upholstery cleaner to velvet with soft sponge, leaving the velvet's pile undisturbed. After it is clean, be sure to vacuum and brush the velvet follow the grain always.
- A steam cleaner is perfect for removing stains, dirt and debris and disinfecting the velvet fabric without leaving any damage.
- If you have concerns regarding liquid/stain removal on your product, please consult a professional cleaning company.

Product Information

- Upholstered Bed Conforms to BS EN 1725 & BS 5852


Step 1

	
2x	1x
M6x50	M4x100
C	E
JCBC	Allen key




Step 2

	
8x	1x
M8x20	M5x70
A	F
Bolt	Allen key




Step 3


		
2x M6x40 B Bolt	1x M4x100 E Allen key	2x 35mm G Adjuster



Step 4



Step 5

			
3x	26x	1x	1x
M6x40	M4x32	M4x100	M5x70
B	D	E	F
Bolt	Screw	Allen key	Allen key

